

ORDINANCE# 567

**AN ORDINANCE BY THE TOWN OF ASHLAND CITY, TENNESSEE AMENDING
ORDINANCE #551 TITLE 12, CHAPTER 1, SECTION 12-101**

WHEREAS, the Mayor and the City Council previously adopted Ordinance #551; and

WHEREAS, the title needs modification to add verbiage to previously approved Standard Codes.

NOW, THEREFORE BE IT ORDAINED BY THE MAYOR AND COUNCIL OF THE TOWN OF ASHLAND CITY, TENNESSEE, that Title 12, Chapter 1, Section 12-101 be amended to add verbiage as follows:

12-101. Standard Codes Adopted It is the desire of the Town of Ashland City to adopt, in all respects, the various standard codes relating to building, fire prevention, gas, housing, mechanical, plumbing, and swimming pools and the adoption of these codes is done to facilitate proper inspection activities by Ashland City relating to construction and to maintenance of buildings within said Ashland City and relating to public safety, health and general welfare.

The following codes are hereby amended as follows:

2018 International Residential Code (per the rules of the Commerce and Insurance Division of Fire Prevention under rule 0780-02-23-.02) excluding or except that:

1. Section N1102.4.1.2 (R402.4.1.2) Testing is replaced with Section N1102.4.2.1 Testing Option and Section N1102.4.2.2 Visual Inspection from 2009 IRC.
2. Section N1103.3.3 (R403.3.3) Duct Testing (Mandatory) and Section N1103.3.4 (R403.3.4) Duct Leakage (Prescriptive) are optional.
3. Table N1102.1.2 (R402.1.2) Insulation and Fenestration Requirement by Component and Table N1102.1.4 (R402.1.4) Equivalent U-Factors from 2018 IRC are replaced with Table N1102.1 Insulation and Fenestration Requirements by Component and Table N1102.1.2 Equivalent U-Factor from 2009 IRC.


2018 International Energy Conservation Code except that:

1. Section R402.4.1.2 Testing is deleted and replaced with Section 402.4.2.1 Testing Option and Section 402.4.2.2 Visual Inspection Option from 2009 IECC.
2. Section R403.3.3 Duct Testing (Mandatory) and Section R403.3.4 Duct Leakage (Prescriptive) are optional.
3. Table 402.1.2 Insulation and Fenestration Requirements by Component and Table R402.1.4 Equivalent U-Factors are deleted and replaced with Table 402.1.1 Insulation and Fenestration requirements by Component and Table 402.1.3 Equivalent U-Factors 2009 IECC

2018 International Swimming Pool and Spa Code

BE IT FURTHER ORDAINED, this Ordinance shall be effective twenty (20) days after the final passage, to the public welfare requiring it.

1st reading July 13, 2021
Public Hearing August 10, 21
2nd reading August 10, 2021



Mayor Steve Allen



Interim City Recorder Alicia Martin, CMFO